Electronics - Gauges & Meters



Arctic Cat

Polaris

Ski-Doo

Yamaha

Kawasaki, John Deere, Moto Ski

Innovate Gauges, etc.

Rings & Accessories

Promo items

Custom Order Form

Terms & Conditions



Electronics - Gauges & Meters



For additional part descriptions and product photos visit innovatemotorsports.com or call 714-372-5910 to request a free catalog



		GAUGES
38	306	LM-2 Air/Fuel Ratio Meter, Single O ² Sensor Complete Kit
38	307	LM-2 Air/Fuel Ratio Meter, (2) Dual O ² Basic Kit
38	337	LM-2 Air/Fuel Ratio Meter, Single O ² Basic Kit
38	344	MTX-L: Air/Fuel Ratio Gauge Kit (All-in-one) w/O² Sensor
38	345	MTX-L: Air/Fuel Ratio Gauge Kit (PowerSports) w/O ² Sensor
38	351	MTX-D: Digital, Vacuum/Boost & Shift Light Gauge Kit, Dual Function
38	352	MTX-D: Digital, Oil Temperature & Pressure Gauge Kit, Dual Function
38	353	MTX-D: Digital, Water Temperature & Battery Gauge Kit, Dual Function
38	354	MTX-D: Digital, Exhaust Gas Temperature (EGT) Gauge Kit
38	377	LC-2: Lambda Cable, 8 ft. Sensor Cable & O ² Kit
38	381	LC-2 Lambda Cable, 8 ft. Sensor Cable (no Sensor)
38	301	G2 Kit (G2 Gauge, LC-2 & O ² Sensor)
38	303	G2 (Gauge only)
38	315	G2 Vacuum/Boost Gauge Kit (Mechanical)
38	302	G3 Kit (G3 Gauge, LC-2 & O ² Sensor)
38	304	G3 (Gauge only)
38	316	G3 Vacuum/Boost Gauge Kit (Mechanical)
38	321	G4 Kit (G4 gauge, LC-2 & O ² sensor)
38	323	G4 (White Face/Chrome Bezel Gauge)
38	322	G5 Kit (G5 gauge, LC-2 & O ² sensor)
38	324	G5 (G5 Black Face/Chrome Bezel Gauge)
37	793	DB Gauge Blue, (Gauge only)
37	794	DB Gauge Red, (Gauge only)
37	795	DB Gauge Blue Kit, (Blue LED's, LC-2 & O² sensor)
37	796	DB Gauge Red Kit, (Red LED's, LC-2 & O ² sensor)
38	372	DB-Gauge Green (Gauge only)
38	373	DB-Green Kit (Green LED's LC & O ² Sensor)
38	384	LC-2 Lambda Cable, 3 ft. Sensor Cable, & O² Kit
	391	*DLG-1 Dual Lambda O² Gauge Kit
	392	*PSB-1 PowerSafe Boost & Wideband O² Gauge Kit
	393	*PSN-1 PowerSafe Nitrous Bottle Press & Wideband O² Gauge Kit
Black Face	White Face	
3855	3856	MTX-AL: Analog, Air/Fuel Ratio Gauge Kit, Includes Harness, O ² Sensor & Bung
3857	3858	MTX-A: Analog, Vacuum / Boost Gauge Kit
3859	3860	MTX-A: Analog, Oil Pressure Gauge Kit
3861	3862	MTX-A: Analog, Water OR Oil Temperature Gauge Kit
3863	3864	MTX-A: Analog, Fuel Pressure Gauge Kit
3865	3866	MTX-A: Analog, Exhaust Gas Temperature Gauge Kit

	METERS & ACCESSORIES	
3831	OT-2: "OpenTune" OBD-II/CAN Wireless (WiFi) Interface	
3832	OT-2: "OpenTune" OBD-II/CAN Interface w/LC-2 & O ² Sensor	Arctic
3742	LMA-3: "AuxBox" (Multi-Sensor Device)	Cat
3783	SSI-4, (4 Channel Simple Sensor Interface)	
3784	TC-4, (4 Channel Thermocouple K-Type Amplifier)	Polaris
3728	Exhaust Clamp	Folaris
3814	LM-2 Window Mount	
3834	Inductive Clamp (LM-2)	
3737	O² Sensor (Bosch LSU 4.2)	Ski-Doo
3733	USB-to-Serial Adapter	
3811	LM-2 Analog Cable	
3812	LM-2 Serial Patch Cable (Daisychain to LM-2)	Yamaha
3760	Serial Patch Cable: 4 ft., m2.5 to m2.5	
3787	2GB SD Card	Kawasa
3789	Serial Patch Cable: 6 inch, 2.5 to 2.5	John De
3808	LM-2 Power Cable	Moto SI
3809	LM-2 OBD-II Cable	
3813	LM-2 USB Cable	Innovat
3836	Carrying Case (LM-2)	Gauges
3850	Thermocouple Probe, Type K, EGT	7
3835	12mm to 18mm • Motorcycle Bung Adapter	Rings 8
3729	HBX-1 (Heat-Sink Bung Extender)	Accesso
3764	Extended Bung/Plug Kit (Mild Steel) 1 inch Tall (Included with AFR Kits)	Access
3838	Extended Bung/Plug Kit (Stainless Steel) 1 inch Tall	
3842	Extended Bung/Plug Kit (Titanium) 1 inch Tall	Promo
3843	Sensor Cable: 3 ft. (LSU 4.2)	items
3810	Sensor Cable: 8 Ft. (LSU 4.2)	
3828	Sensor Cable: 18 ft. (LSU 4.2)	Custom
3882	SCG-1 Solenoid Boost Controller & Wideband O ² Gauge Kit, (All-in-one)	Order F
3735	Bung/Plug Kit (Mild Steel) 1/2 inch	
3736	Bung/Plug Kit (Stainless Steel) 1/2 inch	Terms 8
3746	Program Cable: LC-1, XD-1, Aux Box to PC	Conditi
3839	Extended Bung (Mild Steel) 1 inch	
3840	Program Cable: (4-pin to DB9 PC)	
3846	Serial Patch Cable (Daisychain Innovate MTS devices)	
3869	Clamp for EGT probe (no weld)	
3875	PL-1 Pocket Logger Kit	
3876	SD Memory Card Reader, USB	
3883	MAC Solenoid, High Resolution	
3885	Vacuum Hose, T-Fitting & Clamp Kit (for most boost controllers)	
3886	Bracket, Aluminum w/Screws for MAC Solenoid	
3887	Sensor Cable: 8 ft. (LSU 4.9)	
3888	O ² Sensor (Bosch LSU 4.9)	
3889	Sensor Cable: 18 ft. (LSU 4.9)	
3890	Sensor Cable: 16 ft. (LSU 4.9)	
3894	LM-2 Air/Fuel Ratio Meter, (2) Dual O ² Basic Kit	
3895	4-Channel EGT Kit (TC-4, 4 Type-K EGT Probes)	
3896	LSU 4.9 Upgrade Kit, 3 ft. (Sensor Cable + O ² Sensor)	
3897	LSU 4.9 Upgrade Kit, 3 ft. (Sensor Cable + 0° Sensor)	



2-Stroke Rings

Accessories manufactured by ISO 9000 certified suppliers

All Wiseco rings can be used in cast iron, nickel ceramic platings (Nikasil), boron composite, and Electrofusion bores. CAUTION: Unless otherwise noted, Wiseco rings can NOT be used in chrome plated bores. Engine damage will occur. *CSM & CDM rings are designed to be used in chrome bores.

2-St	2-Stroke Rings						
Туре	Price	Thickness	& Profile	Bore Range	Description		
cs	\$17.28	1mm (.039")		39 - 74mm (1.535 - 2.913")	Alloy steel, ferrox coated, chrome faced, internally notched.		
CSA	\$36.96	1mm (.039")		44.5 - 73mm (1.752 - 2.874")	Alloy steel, ferrox coated, titanium nitride faced, internally notched.		
CD	\$34.55	1mm (.039")	1mm (.039")	39 - 74mm (1.535 - 2.913")	Alloy steel, ferrox coated, chrome faced, internally notched.		
CDW	\$33.54	1mm (.039")	1mm (.039")	73.4mm (2.890")	Alloy steel, ferrox coated, chrome faced, internally notched (for 2.04mm knock pin)		
*CSM	\$17.22	1mm (.039")		39 - 73mm (1.535 - 2.874")	Nodular iron, phosphate coated, internally notched (for use in • Chrome Bores)		
*CDM	\$33.54	1mm (.039")	1mm (.039")	39-73mm (1.535-2.874")	Nodular iron, phosphate coated, internally notched (for use in • Chrome Bores)		
тс	\$17.90	1.2mm (.047")		74.5 - 91mm (2.933 - 3.583")	Alloy steel, ferrox coated, chrome faced, internally notched.		
TD	\$35.77	1.2mm (.047")	1.2mm (.047")	74.5 - 91mm (2.933 - 3.583")	Alloy steel, ferrox coated, chrome faced, internally notched.		
TDW	\$35.77	1.2mm (.047")	1.2mm (.047")	74.8 - 81mm (2.945 - 3.189")	Alloy steel, ferrox coated, chrome faced, internally notched (for 2.04mm knock pin)		
LT	\$38.25	2.0mm (.079")		67.5 - 80mm (2.658 - 3.150")	Nodular iron, phosphate coated, chrome faced, internally notched, half-keystone, Dykes "L".		
LK	\$45.67	2.0mm (.079")	\leftarrow	67.5 - 84mm (2.658 - 3.307")	LK ring package contains (1) LT ring, and (1) flat ring. The flat ring will be a CS style for bore sizes up to 74mm; TC style for 74.25mm bores and larger.		
LF	\$45.67	2.0mm (.079")	2.0mm (.079")	81 - 84mm (3.189 - 3.307")	The LF ring package contains (1) Nodular iron, phosphate coated, chrome faced, internally notched, half-keystone, Dykes "L" top ring, and (1) cast iron, phosphate coated, internally notched second ring.		
KA	\$17.90	1.5mm (.059")		55.57 - 98.9mm (2.188 - 3.894")	Alloy steel, ferrox coated, chrome faced, side notched, half-keystone.		
KD	\$30.85	1.5mm (.059")	1.5mm (.059")	55.57 - 98.9mm (2.188 - 3.894")	Alloy steel, ferrox coated, chrome faced, side notched, half-keystone.		
КВ	\$39.88	1.2mm (.047")	1.2mm (.047")	82 - 85.25mm (3.228 - 3.356")	Alloy steel, ferrox coated, chrome faced, side notched, half-keystone.		
KE	\$20.95	1.2mm (.047")	1.2mm (.047")	65mm (2.559") & 66.5mm (2.618")	Alloy steel, ferrox coated, chrome faced, internally notched, half-keystone.		
KF	\$30.85	1.2mm (.047")	1.2mm (.047")	65mm (2.559") & 66.5mm (2.618")	Alloy steel, ferrox coated, chrome faced, internally notched, half-keystone.		

4-Stroke Rings

Туре	Price	Bore Range	Top Ri	ng	2nd Rin	ıg	Oil Ring	
XA	\$33.10	60 - 74.5mm (2.362-2.933")	0.8mm (.031") Alloy steel, ferrox coated, chrome faced	\Box	0.8mm (.031") Nodular iron, phosphate coated, taper faced	\Box	1.5mm (.059") 3 piece oil assembly: Stainless steel flex-vent spacer, chrome faced rails	
ХG	\$33.10	75-83mm (2.953-3.268")	1mm (.039") Alloy steel, ferrox coated, gas nitrided	\Box	1mm (.039") Nodular iron, phosphate coated, taper faced		2mm (.079") 3 piece oil assembly: Stainless steel flex-vent spacer, chrome faced rails	

Arctic

Polaric

Ski-Doo

Yamaha

Kawasaki, John Deere,

Moto Ski

Innovate

Gauges, etc.

Compressor Sleeves



- Machined from Wiseco sleeve forgings to offer the same toughness as our forged pistons.
- Hard anodized and Teflon coated for low friction and prolonged wear resistance.
- Sleeves have a smooth radius that tapers down to the specific bore size.
- Compresses the piston rings smoothly and evenly.
- Greatly reduces the difficulty installing thin high-performance oil rings.

Rings &
Accessories

Promo items	
Custom	

Order Form
Terms &
Conditions

Ring Compressor Sleeves \$29.95					
Part No.	Bore Size mm	Bore Size inches			
RCS06550	65.50	2.5787			
RCS06600	66.00	2.5984			
RCS06650	66.50	2.6181			
RCS06700	67.00	2.6378			
RCS06750	67.50	2.6575			
RCS06800	68.00	2.6772			
RCS06900	69.00	2.7165			
RCS07000	70.00	2.7559			
RCS07200	72.00	2.8346			
RCS07300	73.00	2.8740			
RCS07340	73.40	2.8898			
RCS07400	74.00	2.9134			
RCS07450	74.50	2.9331			
RCS07500	75.00	2.9528			
RCS07550	75.50	2.9724			
RCS07600	76.00	2.9921			
RCS07700	77.00	3.0315			
RCS07750	77.50	3.0512			
RCS07800	78.00	3.0709			
RCS07900	79.00	3.1102			
RCS08000	80.00	3.1496			
RCS08100	81.00	3.1890			
RCS08150	81.50	3.2087			
RCS08200	82.00	3.2283			
RCS08250	82.50	3.2480			

Part No.	Bore Size	Bore Size inches
RCS08300	83.00	3.2677
RCS08350	83.50	3.2874
RCS08400	84.00	3.3071
RCS08450	84.50	3.3268
RCS08500	85.00	3.3465
RCS08550	85.50	3.3661
RCS08600	86.00	3.3858
RCS08650	86.50	3.4055
RCS08700	87.00	3.4252
RCS08750	87.50	3.4449
RCS08800	88.00	3.4646
RCS08850	88.50	3.4843
RCS08900	89.00	3.5039
RCS08950	89.50	3.5236
RCS09000	90.00	3.5433
RCS09050	90.50	3.5630
RCS09100	91.00	3.5827
RCS09200	92.00	3.6220
RCS09250	92.50	3.6417
RCS09300	93.00	3.6614
RCS09350	93.50	3.6811
RCS09400	94.00	3.7008
RCS09450	94.50	3.7205
RCS09500	95.00	3.7402
RCS09550	95.50	3.7598

Weggyggg	70.00	3.7773
RCS38000	96.52	3.8000
RCS38100	96.77	3.8100
RCS09700	97.00	3.8189
RCS09750	97.50	3.8386
RCS09800	98.00	3.8583
RCS09850	98.50	3.8780
RCS09900	99.00	3.8976
RCS39040	99.16	3.9040
RCS09950	99.50	3.9173
RCS10000	100.00	3.9370
RCS10100	101.00	3.9764
RCS40000	101.60	4.0000
RCS40050	101.73	4.0050
RCS10200	102.00	4.0157
RCS40200	102.11	4.0200
RCS40300	102.36	4.0300
RCS40400	102.62	4.0400
RCS40600	103.12	4.0600
RCS40700	103.38	4.0700
RCS10400	104.00	4.0945
RCS41250	104.78	4.1250
RCS41350	105.03	4.1350
RCS41450	105.28	4.1450
RCS41550	105.54	4.1550

50

Jets, Bearings & Honing Brushes

Wiseco Engine Jets are OEM quality. Made to replace parts for Keihen and Mikuni, main and pilot jets.

Key features

- Wide range of sizes available
- Prices comparable to OEM
- Jetbox Most popular sizes, all in one package

Engine Jet Kit Assortments						
Part No.	Description	\$ Per kit				
JK001	Keihin Main Jets	\$185.95				
JK002	Keihin Pilot Jets	\$256.50				
JK003	Mikuni Main Jets	\$185.95				
JK004	Mikuni Pilot Jets	\$297.00				




Main Bearings							
Part No.	ID mm	OD mm	Width mm	Price			
B5017	30	62	13	\$35.96			
B5019	25	62	17	\$16.54			
*B5021	30	72	19	\$23.14			
*B5022	30	62	16	\$19.99			

Part No.	ID mm	OD mm	Width mm	Price
B5024	25	52	15	\$12.21
*B5025	25	62	17	\$58.86
B5026	35	72	17	\$23.43
B5028	30	72	19	\$45.99

* [m	п	0	М	C	tr	\mathbf{r}	b	
-	-'	,,,	,,	·c	u	J	L	,,	1	

Part No.	Bore Range mm	Bore Range Inches	Brush O.D.	Overall Length	Price
W6075	45-57mm	1.77"-2.24"	2"	10"	\$49.40
W6076	57-70mm	2.24"-2.76"	3"	10"	\$49.40
W6077	63-76mm	2.48"-2.99"	4"	14"	\$64.73
W6078	76-89mm	2.99"-3.50"	4"	14"	\$64.73
W6079	89-102mm	3.50"-4.02"	4"	14"	\$72.83





Swag, Decals & Specialty Items

Visit wiseco.com to see our complete line of apparel and updates.



Arctic Cat

Polaris

Ski-Doo

Yamaha

Kawasaki, John Deere, Moto Ski

Innovate Gauges, etc.

Rings & Accessories

Promo items

Custom Order Form

Terms & Conditions



Hour Meter & Hour/Techometer

With adjustable input & re-settable Max RPM Both include Log Books

Surface Mounted Inductive Meters provide what today's rider needs and expects from hour meters. Engines have strict maintenance schedules that must be followed to provide long life. Wiseco's hour meter will keep track of total time on your machine. Plan oil changes, valve services, and other maintenance schedules. No other meter can provide the same quality, reliability, and feature set. Every Wiseco hour meter and hour/tachometer includes a log book for quick referencing of your written service notes.


- Works on all gasoline engines.
- No battery or ground wire required.
- Easy Installation No wiring necessary. Peel & stick with 2-sided tape (included), or attach with enclosed hardware.
- 100% epoxy encapsulated cases are water resistant.
- Record & display in increments of 0.1 hours up to 9,999.9 hours.
- Hourglass symbols appear & flash on/off to indicate counting time.
- Automatic roll-over.
- Displays can be read at all times (whether power is applied or not)!
- No clicking like mechanical meters.
- · Simple patented one wire wrap installation.

Hour/Tachometer also features:

- Adjustable RPM input for dual or single spark ignition systems.
- Real Time reading of tach up to 20,000 RPM's.
- Records max RPM and is re-settable.
- •Three adjustable inputs for dual or single spark ignition systems. Easily set with a touch of a button.

Total hours accumulated are not re-settable and cannot be erased.

Solid state electronics, modern LCD, superb environmental durability and ehanced functionality offer today's leading OEM's the best of all possibilities without sacrifice to performance, operation or budget.





Custom Pistons

TO:	AIIN:					
FROM: DATE	::/ TIME:	NO. OF	F PGS			
CUSTOMER#:	SHIP TO #	t:				
CUSTOMER:	STREET:					
STREET:	CITY:	STATE: ZI	P:			
CITY: STATE: ZIP: _	CONTACT	Γ PERSON:				
ATTN:						
SHIP VIA: UPS 2nd DAY AIR N	EXT DAY AIR OTHER: _					
METHOD OF PAYMENT: VISA MAST	ER CARD DISCOVER	☐ C.O.D. ☐				
CREDIT CARD#:	EXP. DAT	TE://				
NAME ON CARD:						
CUSTOMER P.O.#:	USAGE: O	VAL DRAG STREE	T OTHER			
MAKE:	SPECIFIC CYLINDER I	HEAD:				
CYL. HEAD VOL.:	ROD EYE WIDTH:	TE WIDTH: ROD LENGTH:				
STROKE: 0 DECK HT. AT:	DECK CLEARAI (Piston at top dead	NCE: BLOCK HT	:			
COMP. HT. BORE	LEFT	RIGHT	IND.			
WRIST PIN DIA: LENGTH:						
DOME STYLE: HIGH COMP. TFT FT						
DOME VOL. (+ or -)		: (+ or -)				
(If known)	DOME RISE.	(If known)				
SHIP RINGS: YES NO		INT	Г ЕХН			
RING STYLE:		VALVE DIA:				
A. Com	ıp. Ht.	POCKET:				
B. Dom	ne Rise					
2nd: C. Com	ър. Ht.	POCKET DEPTH:				
Oil:		POCKET ANGLE:				
PREVIOUS ORDER REF#:	FAX#: ()	PHONE#: (

 54



Terms & Conditions of Sale

1. Parties. [Wiseco Performance Products], will be referred to as "Seller," and the company purchasing as indicated on the front hereof will be referred to as "Products".

2. Terms and Conditions. Seller's assent to contract is expressly conditional on Purchaser's acceptance of these Terms and Conditions. Notice is hereby given of Seller's objection to any Terms and Conditions in addition to or different from those herein, including without limitation any terms or conditions contained within any written acceptance, order confirmation, purchase order or similar document related to this transaction that may be issued by Purchaser. In the event Purchaser issues a purchase order or orders shall have no legal effect, nor shall they be binding upon Seller. Deviation from these Terms and Conditions, including terms and conditions attached to such purchase order or orders shall have no legal effect, nor shall they be binding upon Seller. Deviation from these Terms and Conditions, including terms and condition to or different than those contained herein, can only take place by written instrument signed by one of Seller's officers.

3. Price Adjustments; Payments. The prices stated herein do not include any sales, use, or other taxes unless so stated specifically. Such taxes will be added to invoice prices in those instances in which Seller is required to go by the same to any taxing authority. Purchaser will make such payment to Seller or, if requested by Seller, directly to the taxing authority. At Seller's option, prices may be adjusted to reflect any increase in Seller's costs resulting from state, federal or local legislation, price increases from Seller's suppliers, or any change in the rate, charge, or classification of any carrier.

Unless otherwise specified by Seller, all prices are Fo.B. Seller's facility in Mentor, Ohio (Seller's Facility), and payment will be net/cash 30 days from date of invoice. Invoices unpaid and past due may be subject to a service

the rate, charge, or classification of any carrier.

Unless otherwise specified by Seller, all prices are F.O.B. Seller's facility in Mentor, Ohio (Seller's Facility), and payment will be net/cash 30 days from date of invoice. Invoices unpaid and past due may be subject to a service charge on the unpaid balance at an interest rate equal to the lesser of 18% per annum or the maximum allowable interest rate under applicable law, and Purchaser shall be responsible and liable for all expenses incurred by Seller in collection, including reasonable attorneys' fees.

4. Delivery Dates; Title and Risk; Shipment. All delivery dates are approximate, and Seller shall not be responsible for any damages of any kind resulting from any delay. Regardless of the manner of shipment, title to any products and risk of loss or damage thereto shall pass to Purchaser upon tender to the carrier at Seller's Facility, except in those instances in which delivery may be made by Seller's whicles. Unless otherwise stated herein Purchaser may exercise its judgment in choosing the carrier and means of delivery. No deferment of shipment at Purchaser's request beyond the respective dates indicated will be made except on terms that will indemnify, defend and save Seller harmless against all loss and additional expense, including, but not limited to demurrage, handling, storage and insurance charges.

5. Warranty. WISECO PISTON COMPANY, INC. LIMITED PISTON WARRANTY. WISECO warrants this product will be free from defects in material and workmanship for thirty (30) days following date of original purchase.

If the product is found by WISECO to be defective, such products will, at WISECO'S option, be replaced or repaired at cost to WISECO. All products alleged by Purchaser to be defective must be returned to WISECO, postage repair within thirty (30) days warranty period.

If the product is found by WISECO to be defective, such products will, at WISECO'S option, be replaced or repaired at cost to WISECO. All products alleged by Purchaser to be defective must be returned to WISECO, postage prepaid, within thirty (30) days warranty period.

This limited warranty does not apply to any product which has been used in a hi-performance application, racing, or is subject to misuse, mishandling, misapplication, neglect (including but not limited to improper maintenance), accident, improper installation, modification (including but not limited to use of unauthorized parts or attachments), or adjustment or repair performed by anyone other than WISECO.

The parties hereto expressly agree that the purchaser's sole and exclusive remedy against WISECO shall be for the repair or replacement of the defective product as provided in this limited warranty. This exclusive remedy shall not be deemed to have failed of its essential purpose so long as WISECO is willing and able to repair or replace defective goods.

THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOT EXPRESSLY SET FORTH HEREIN, ANY PRODUCT WHICH MAY BE SOLD BY WISECO BUT WHICH IS NOT MANUFACTURED BY WISECO IS NOT WARRANTED BY WISECO, Subt Is SOLD ONLY WITH THE WARRANTIES, IF ANY, OF THE MANUFACTURES THEREOF.

MANUFACTURERS THEREOF.
WISECO'S liability (whether under the theories of breach of contract or warranty, negligence or strict liability) for its products shall be limited to repairing or replacing parts found by WISECO to be defective, or at WISECO'S option, to refund the purchase price of such product. In no event shall WISECO be liable for incidental or consequential damages arising out of or in connection with the product. Consequential damages shall include, without limitation, loss of use, income or profit, or losses sustained as the result of injury (including death) to any person, or loss of or damage to property.
Any claim by purchaser regarding this product shall be deemed waived by the purchaser unless submitted in writing to WISECO within the earlier of (i) fifteen (15) days following the date Purchaser discovered, or by reasonable inspection should have discovered, any claimed breach of this limited warranty, or (ii) thirty (30) days following the date of original purchase. Any cause of action for breach of this limited warranty shall be brought within six months from the date the alleged breach was discovered or should have been discovered in should have been discovered or should have been discovered within the varianty shall be brought within six months from the date the alleged breach was discovered or should have been discovered or should have been discovered within the varianty gives you specific legal rights, and you may also have other rights which vary from state to state.

Return any defective Wiseco product directly to Wiseco for warranty consideration. All defective claims to Wiseco Piston, Inc. should include the following information: (All RMA's are subject to a 20% restocking fee.)

- 1. Call Wiseco for RMA (Return Materials Authorization) number at 800-321-1364 or 440-951-6600.
- 2. The possible defective product being returned should be labeled with the Wiseco part number

 3. Include a copy of invoice, name, and address of supplier for proof of purchase.

- 5. Wiseco reserves the right to request additional engine related products in order to evaluate a claim.

If the product issue is found to be valid by Wiseco, the Wiseco Customer Service department will advise the distributor as to the amount of responsibility for the claim and will settle all claims directly with the distributor.

- SHIP RETURNS "PRE PAID" TO (Include RMA# on the box & packing list):

 Wiseco Piston Company, Inc. 7201 Industrial Park Blvd. Mentor, Ohio 44060-5396
 In Canada: Wiseco Piston Canada, Inc. 948 Keyes Drive, PO Box 1513 Woodstock, ONT. N4S 0A7

6. Claims; Commencement of Actions. Purchaser shall promptly inspect all Products upon delivery. No claims for shortages will be allowed unless such shortages are reported to Seller within 10 days after delivery. No other claims against Seller will be allowed unless asserted in writing within 60 days after delivery or, in the case of an alleged breach of warranty, within 60 days after the date within the warranty period on which the defect is or should have been discovered by Purchaser.

Any action based upon breach of this contract or upon any other claim arising out of this sale (other than an action by Seller for any amount due to Seller by Purchaser) must be commenced within one year from the date of the tender of delivery by Seller or, in the case of a cause of action based upon an alleged breach of warranty, within one year from the date within the warranty period on which the defect is or should have been discovered by Purchaser. Seller and Purchaser agree to submit any dispute arising from the performance or failure to perform under this Agreement to binding arbitration under the commercial arbitration rules of the American Arbitration Association. The arbitrator shall have the power to award damages but shall not in any case award exemplary or punitive damages. The decision of the arbitrator may be entrered into judgment in any court of competent jurisdiction.

7. LIMITATION OF LIABILITY. IN NO EVENT SHALL SELLER BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF, OR AS THE RESULT OF THE SALLE, DELLIVERY, NON-DELIVERY, SERVICING, USE OR LOSS OF USE OF THE PRODUCTS OR ANY PART THEREOF, OR FOR ANY OR CHARGES OF ANY ANTARE INCURRED WITHOUT SELLER'S WRITTEN CONSENT, EVEN THOUGH SELLER HAS BEEN NEGLIGENT. IN NO EVENT SHALL SELLER'S LIABILITY UNDER ANY CLAIM MADE BY PURCHASER EXCEED THE PURCHASE PRICE OF THE PRODUCTS IN RESPECT OF WHICH DAMAGES ARE CLAIMED.

8. Contingencies. Seller shall not be liable for any default or delay in performance if caused, direct

WRITTEN CONSENT, EVEN THOUGH SELLER HAS BEEN NEGLIGENT. IN NO EVENT SHALL SELLER'S LIABILITY UNDER ANY CLAIM MADE BY PURCHASER EXCEED THE PURCHASE PRICE OF THE PRODUCTS IN RESPECT OF WHICH DAMAGES ARE CLAIMED.

8. Contingencies, Seller shall not be liable for any default or delay in performance if caused, directly or indirectly, by acts of God; war; force of arms; fire; the elements; riot; labor disputes; picketing or other labor controversies; asabotage; civil commotion; accidents; any governmental action, prohibition or regulation; delay in transportation facilities; shortages or breakdown of or inability to obtain or non-arrival of any labor, material or equipment used in the manufacture of the Products, fallure of any party to perform any contract with Seller relative to the production, of the Products, or from any cause whatsoever beyond Seller's control, whether or not such cause be similar to dissimilar to those enumerated. Seller shall promptly notify Purchaser of the happening of any such contingency and of the contemplated effect thereof on the manufacture and delivery of the Products.

9. Loss to Purchaser's Property; Patent, Trademark, or Copyright Infringement, Etc. Seller shall not be liable for, and shall have no duty to provide insurance against, any damage or loss to any goods or materials of Purchaser that are used by Seller in connection with this order. Where any Product is manufactured from patterns, plans, drawings, or specifications furnished by Purchaser, Purchaser shall indemnify, defend and save Seller harmless from all loss, damage, and expense arising out of any suit or claim against Seller for integement of any patent, trademark, or copyright because of Seller's manufacture of such Product or because of the use or sale of such Product by any person. Upon Seller's request, Purchaser shall appear in and assume the defense of the litigation.

10. Sellers's Specifications, Technical Data, Etc. Any specifications, drawings, plans, notes, instructions, engineering notices, technical data

Table in televinely, in the less standy between the control of the

direct, incidental and consequential loss or damage.

15. Limitation on Assignment. Purchaser may not assign its rights or obligations under this Agreement without the prior written consent of Seller. Any purported assignment of such rights or obligations without such consent

13. Emiliation of Massignment Particles and prior assignment of source and source and considered and source and sou

and will accept and bear all responsibility or penalties resulting from errors and omissions thereon. Purchaser shall not re-export the Products or any goods or items that incorporate the Products if the re-export would violate United States export laws.

17. Equal Opportunity Clause. This clause applies only in the event that the Products are to be used in whole or in part for the performance of government contracts and where dollar value of said Products exceeds, or may in any one year exceed \$10,000.

18. The performance of work under this contract, the contractor (subcontractor) agrees not to discriminate against any employee or applicant for employment because of race, color, religion, sex, or national origin. The aforesaid provision shall include, but not be limited to, the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising, layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor (subcontractor) agrees to post hereafter in conspicuous places, available for employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause.

18. Other Rights or Remedies. Except as otherwise provided herein, any rights or remedies granted hereunder to Seller shall be in addition to, and not in lieu of, any other rights or remedies at law or in equity.


19. Entire Agreement. This Agreement contains the entire agreement between Purchaser and Seller and constitutes the final, complete and exclusive expression of the terms of the agreement. All prior or contemporaneous written or oral agreements or negotiations with respect to the subject t

All product returns to Wiseco Performance Products should include the following information: (All RMA's are subject to a 20% restocking fee.)

- 1. Call Wiseco for RMA (Return Materials Authorization) number at 800-321-1364 or 440-951-6600.
- Include a copy of invoice, name, and address.
 Brief description for why product is being returned.
- SHIP RETURNS "PRE PAID" TO (Include RMA# on the box & packing list):

 Wiseco Piston Company, Inc. 7201 Industrial Park Blud. Mentor, Ohio 44060-5396

 In Canada: Wiseco Piston Canada, Inc. 948 Keyes Drive, PO Box 1513 Woodstock, ONT. N4S 0A7



Outboard Marine





